

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39	((measur\$5 sens\$3 detect\$3) near3 (resistance impedance)) and ((kelvin (four adj point)) near3 (tester sensor detector probe connect\$5)) and (extend\$3 near3 lead\$1)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/15 11:06
L10	4	l1 and (amplifi\$5) and (analog adj3 digital)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/15 10:37
L12	4	((measur\$5 sens\$3 detect\$3) near3 (resistance impedance)) and ((kelvin (four adj point)) near3 (tester sensor detector probe connect\$5)) and (extend\$3 near3 lead\$1 with length)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/15 10:43
L13	7	((kelvin (four adj point)) near3 (tester sensor detector probe connect\$5)) and (extend\$3 near3 (probe\$1 lead\$1) near3 length\$1)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/15 11:12
L14	0	((kelvin (four adj point)) near3 (probe connect\$5)) and (extendable near3 (probe\$1 lead\$1 connect\$3) near3 length\$1)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/15 11:12
L15	18	((kelvin (four adj point)) near3 (probe connect\$5)) and (extend\$5 near3 (probe\$1 lead\$1 connect\$3) near3 length\$1)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/15 11:12
S1	0	((measur\$5 sens\$3 detect\$3) near3 impedance) and (vehicle) and (display\$3 with impedance) and ((kelvin (four adj point)) near3 probe)	USPAT	OR	OFF	2005/07/14 11:50
S2	0	((measur\$5 sens\$3 detect\$3) near3 impedance) and (vehicle) and (display\$3 with impedance) and ((kelvin (four adj point)) near3 probe)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 11:50
S3	1	((measur\$5 sens\$3 detect\$3) near3 impedance) and (display\$3 with impedance) and ((kelvin (four adj point)) near3 probe)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 12:51
S4	7	324/715.ccls. and vehicle	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 11:51
S5	25	324/715.ccls. and ((kelvin (four adj point)) near3 probe)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 12:43

S6	337	324/715.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 11:52
S7	61	((measur\$5 sens\$3 detect\$3) near3 (resistance impedance)) and (display\$3 with (resistance impedance)) and ((kelvin (four adj point)) near3 probe)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 12:51
S8	4	((measur\$5 sens\$3 detect\$3) near3 (resistance impedance)) and (display\$3 with (resistance impedance)) and ((kelvin (four adj point)) near3 probe) and (vehicle automobil car)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 12:59
S9	5	((measur\$5 sens\$3 detect\$3) near3 (resistance impedance)) and (display\$3 with (resistance impedance)) and ((kelvin (four adj point)) near3 (tester sensor detector probe)) and (vehicle automobil car)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 12:59
S10	7	((measur\$5 sens\$3 detect\$3) near3 (resistance impedance)) and (display\$3 with (resistance impedance)) and ((kelvin (four adj point)) near3 (tester sensor detector probe)) and (vehicle automobile car)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 13:41
S11	1	((measur\$5 sens\$3 detect\$3) with (vehicle automobile car) with (resistance impedance)) and (display\$3 with (resistance impedance)) and ((kelvin (four adj point)) near3 (tester sensor detector probe))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 13:20
S12	0	("2005/0012510").URPN.	USPAT	OR	OFF	2005/07/14 13:20
S13	5	("20020036504" "6313608" "6411 098" "6556019" "6566883").PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 13:38
S14	12	((measur\$5 sens\$3 detect\$3) near3 (resistance impedance)) and (display\$3 with (resistance impedance)) and ((kelvin (four adj point)) near3 (tester sensor detector probe connect\$5)) and (vehicle automobile car)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/15 10:23
S15	6	((measur\$5 sens\$3 detect\$3) near3 (resistance impedance)) and (display\$3 with (resistance impedance)) and ((kelvin (four adj point)) near3 (connect\$5)) and (vehicle automobile car)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/14 13:42

S16	4	("6097193").URPN.	USPAT	OR	OFF	2005/07/14 18:53
-----	---	-------------------	-------	----	-----	------------------